



Total Participants

Distribution by gender

Women	18	51%
Men	17	49%
Total	35	

(*) Including Health Professionals, volunteers, and children

Distribution by ages

<18	1	3%
18-28	7	20%
29-35	1	3%
36-45	10	29%
46-54	5	14%
>=55	11	31%
	35	

Total Cholesterol

Optimal	<200	28	80%
Borderline	200-239	5	14%
At-risk	>=240	2	6%

Non-fasting Glucose

people

Low	< 65	0	0%
Optimal	65-139	3	75%
Borderline	140-199	1	25%
At-risk	>=200	0	0%

Glucose - Fasting

Low	<65	0	0%
Optimal	65-100	9	30%
Borderline	101-124	15	50%
At-risk	>=125	6	20%

Waist circumference

At risk men	>40	4	11%
At risk women	>35	8	23%
No at risk men	<=40	13	37%
No at risk women	<=35	10	29%

Blood Pressure

people

Normal	<120	<80	9	27%
Borderline	120-139	80-89	15	45%
At-risk 1	140-159	90-99	6	18%
At-risk 2	>=160	>=100	3	9%

LIPID PANEL

35 LDL - Bad Cholesterol

Optimal	<130	21	75%
Borderline	130-159	6	21%
At-risk	>=160	1	4%

4

HDL - Good Cholesterol

Optimal	>=60	1	3%
Borderline women	41-59	12	39%
At-risk women	<= 40	2	6%
Borderline men	51-59	1	3%
At-risk men	<= 50	15	48%

30

Triglycerides

Optimal	<150	24	77%
Borderline	150-199	2	6%
At-risk	>=200	5	16%

35

BMI

people

Underweight	<18.5	1	3%
Normal	18.5-24.9	14	40%
Overweight	25 - 29.9	10	29%
Obese	30- 39.9	8	23%
Morbidly obese	>=40	2	6%

Explanation Results

people

--	--	--	--	--

TOTAL NUMBER OF SCREENINGS/SERVICES GIVEN

297